



MEGAKER

Powered by TABRIZ TILE GROUP



www.TABRIZTILEGROUP.com

**THE
REVOLUTION OF
PORCELAIN
WITH NEW
DECORATIVE
TECHNIQUES**

INDEX

01 PAGE 4-5
WHO WE ARE?

PAGE 6
ADVANTAGES 02

03 PAGE 7
USAGES

PAGE 8-9
SIZE & FINISHES 04

05 PAGE 10-13
DIFFERENT THICKNESSES

PAGE 14-15
**OUR SUSTAINABILITY
STRATEGY 06**

07 PAGE 10-13
INDEX COLLECTION

PAGE 412-429
PRODUCTS SUMMARY 08

09 PAGE 430-435
TECHNICAL INFO.

WHO WE ARE

The story of unsurpassed beauty and innovation

In the world of architectural design, where every detail tells a story, one name resonates with the promise of innovation, quality, and the ethereal beauty of nature: MEGAKER SLABS.

Our journey is not just about creating porcelain products, it is about sculpting masterpieces that transform ordinary spaces into realm of luxurious splendor .


MEGAKER has the ability to adapt to any size, use and space, making it an ideal material for all types of projects. There is no limitation for large format porcelain tile; a concept of use that goes beyond the traditional format and allows the execution of avant-garde ideas.




INTERIOR & DESIGN




FLOORS WALL & STAIRS



SHELVES & CONSOLE



VENTILATED FACADE




TOPS & KITCHEN



CURVED SURFACE



DOORS & SLIDING WALLS



TOPS & BATHROOMS




ADVANTAGES


Waterproof




Hygienic




Abrasion Resistant



Scratch & Impact Resistant




%100 Natural & Recyclable



Easy to clean



Fire & High Temperature Resistant




Chemical & Stain Resistant



Resistant to Ice & Frost



USAGES




Custom combinations. Graphic representation of the infinite possibilities of application in a kitchen area. Consult sizes available of each collection.



SIZES AND FINISHES

MEGAKER is a top player in the porcelain slab manufacturing industry, dedicated to creating and fulfilling the needs of modern architectural design and crafting amazing spaces for its customers. when you choose us, you choose an experience that enriches your living like never before .



We believe that every spaces deserves to be adorned with the finest materials. with our exquisite range of finishes, you can unleash your creativity and bring your design vision to life. Experience that beauty and versatility of Megaker finishes and elevate your space to new heights of style and sophistication.

FIVE THICKNESSES FOR
INFINITE AESTHETIC CONTINUITY.

The industrial solutions of the Group are the result of almost half a century of experience and research. State-of-the-art equipment and rational processes enable the production of ceramic slabs of the highest quality standards: the surfaces available in 5 thicknesses offer functional and design solutions to an increasingly demanding international range of customers.



Thanks to its 12 mm thickness, Megaker is the ideal solution for worktops, an opportunity that enhances the Megaker project making it the most complete and versatile resource for interior design. 12 mm Megaker is indeed an addition to the 6 mm version, which makes it possible to easily cover not only horizontal and vertical surfaces, but also doors, drawers and entire furnishings.



Different
THICKNESSES
3 . 6 . 9 . 12 . 16 mm



 SLIMTECH
 ULTRATHIN



A wide variety of
aesthetic inspirations,
colours and textures to
support designers in
the creative process.

Surfaces 3, 6, 9, 12 and 16 mm
thick for complete versatility.

OUR SUSTAINABILITY STRATEGY



Energy Saving

Each raw material used, each productive process and each technology of the complex activity of the Tabriz Group sites are studied in order to reduce the environmental impact, by saving recycling, filtering, with the will of transforming the waste in resources and optimize the use of energy. Tabriz TILE Group is on the cutting-edge of adopting ecologically sustainable practices and this is demonstrated by the most accurate controls, repeated on a daily basis.



Low Gas Emissions to Atmosphere

Products commercialized by TABRIZ TILE GROUP meet all the norms required by global manufactured goods, imposed by the global law concerning environmental issues. These legal requirements have encouraged us even further when setting our own international goals; leading to a minimization of any environmental impacts which can derive from our manufacturing process.



Water Recycling From The Production Process

We reuse of the water from our production processes, apply cogeneration to make the most of the energy we use, reintegrate the waste products from each process into our ceramic tiles.



Recycling of Fired Material


TABRIZ TILE GROUP is committed to the principles of ISO 14001-2015 environmental management standards. Green goods production in order to minimize the environmental impacts in their life cycle reduce waste production, and promote environmental culture development is one of the most significant priorities in this industrial group.

ISO 9001	2015
ISO 14001	2015
ISO 45001	2018
ISO 10002	2018
ISO 10004	2018
ISO 10015	2019




CE Product Standard Certification
Confirmed by European Union
from CELEB in Italy.


INDEX
Collection




CALACATTA
18/45




FABRIC
88/103




MARBLE
130/159



MONOCOLOR
178/191





STONE
204/387





CONCRETE
46/87





GRANITE
104/129



METAL
160/177



ONYX
192/203




WOOD
388/411



<i>CL-001</i>	20/23
<i>CL-002</i>	24/27
<i>CL-005</i>	28/29
<i>CL-006</i>	30/31
<i>CL-007</i>	32/35
<i>CL-008</i>	36/37
<i>CL-009</i>	38/39
<i>CL-010</i>	40/42
<i>CL-011</i>	43/45

CL-001

Matt / Glossy Polished / Lappato



120x280x0.9 cm
47.2" x 110"

4

CL-001 CALACATTA

Technical Features

- HG

Glossy Polished
- L

Lappato
- GP

Glazed Porcelain
- R

Rectified
- Strength

Bending Strength
- Floor Tile
- Indoor
- Frost Resistance
- M


Matt
- GP

Glazed Porcelain
- R

Rectified
- Strength

Bending Strength
- Floor Tile
- Commercial Traffic Area
- Facade
- Floor Tile
- Indoor
- Frost Resistance
- Anti-Bacterial

1 Color



White

Decor



DISCOVER MORE



Countertop : CL-001 White 145x320x1.2 cm. (Anti-Bacterial Surface)
Backsplash : CL-001 White 160x320x1.2 cm.
Wall : CL-001 White 120x280x0.9 cm.
Floor : CL-001 White 120x120x0.9 cm.

CL-001 CALACATTA

CL-002

Matt / Glossy Polished / Lappato



3

160x320x0.9 cm
63"x126"

CL-002 CALACATTA

Technical Features

- Glossy Polished
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Frost Resistance

- Matt
- Lappato
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Commercial Traffic Area
- Facade
- Floor Tile
- Indoor
- Frost Resistance

1 Color



White



DISCOVER MORE




Wall : CL-002 White 160x320x0.9 cm.
Floor : WD-008 Brown 20x200x0.9 cm.

CL-002 CALACATTA

CL-005

Matt / Glossy Polished / Lappato / Honed



120x280x0.9 cm
47.2" x 110"

4

CL-005 CALACATTA

Technical Features

- Glossy Polished
- Matt
- Lappato
- Honed
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Facade
- Frost Resistance

1 Color



White



DISCOVER MORE

CL-006

Matt / Glossy Polished / Lappato / Honed



3

120x280x0.9 cm
47.2" x 110"

Technical Features

- HG

Glossy Polished
- H

Honed
- GP

Glazed Porcelain
- R

Rectified
- ↓↑

Bending Strength
- Foot

Floor Tile
- House

Indoor
- Snowflake

Frost Resistance
- M

Matt
- L

Lappato
- GP

Glazed Porcelain
- R

Rectified
- ↓↑

Bending Strength
- Foot

Floor Tile
- House

Indoor
- Factory

Commercial Traffic Area
- Building

Facade
- Snowflake

Frost Resistance

1 Color



White



DISCOVER MORE

CL-007

Matt / Glossy Polished / Lappato



3

120x280x0.9 cm
47.2" x 110"

Technical Features

- HG

Glossy Polished
- GP

Glazed Porcelain
- R

Rectified
- ↓↑

Bending Strength
- Foot

Floor Tile
- House

Indoor
- Snowflake

Frost Resistance
- M

Matt
- L

Lappato
- GP

Glazed Porcelain
- R

Rectified
- ↓↑

Bending Strength
- Foot

Floor Tile
- House

Indoor
- Factory

Commercial Traffic Area
- Building

Facade
- Snowflake

Frost Resistance

1 Color



White



DISCOVER MORE



Wall : CL-007 White 120x280x0.9 cm.
Floor : Ashley Brown 100x100x1 cm.

CL-007 CALACATTA

CL-008

Glossy Polished / Lappato



3

120x280x0.9 cm
47.2" x 110"

Technical Features

 Glossy Polished	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Frost Resistance		
 Lappato	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Commercial Traffic Area	 Facade	 Frost Resistance

1 Color




Gold



DISCOVER MORE

CL-009

Matt Surface



4

120x280x0.9 cm
47.2" x 110"

CL-009 CALACATTA

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Facade
- Frost Resistance

1 Color



White



DISCOVER MORE

CL-010

Matt Surface / Glossy Polished



120x200x0.9 cm
47.2"x78.7"

3

CL-010 CALACATTA

Technical Features

 Matt	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Commercial Traffic Area	 Facade	 Frost Resistance
 Glossy Polished	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Frost Resistance		

1 Color



White



DISCOVER MORE



CL-010 CALACATTA

Wall : CL-010 White 120x200x0.9 cm.
Floor : CN-008 Grey 120x200x0.9 cm.



CL-011 CALACATTA

Wall : CL-011 White 120x200x0.9 cm.
Floor : CN-008 Grey 120x200x0.9 cm.

CL-011

Glossy Polished



120x200x0.9 cm
47.2"x78.7"

5

CL-011 CALACATTA

Technical Features

-  Glossy Polished
-  Glazed Porcelain
-  Rectified
-  Bending Strength
-  Floor Tile
-  Indoor
-  Frost Resistance

1 Color



White



DISCOVER MORE

CONCRETE
Series

15

CN-001	48/50
CN-002	51/53
CN-003	54/57
CN-004	58/61
CN-005	62/63
CN-006	64/65
CN-007	66/67
CN-008	68/70
CN-009	71/73
CN-010	74/75
CN-011	76/77
CN-012	78/79
CN-013	80/83
CN-014	84/85
CN-015	86/87

CN-001

Lappato



120x280x0.9 cm
47.2" x 110"

2

Technical Features

- Lappato
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Facade
- Frost Resistance
- Color Body

1 Color



Grey



DISCOVER MORE

CN-001 CONCRETE

CN-001
CONCRETE



Wall : CN-001 Grey 120x280x0.9 cm.
Floor : GR-001 Blanco 120x120x0.9 cm.


CN-002
CONCRETE



Cabinet Door : CN-002 Anthracite 120x310x0.6 cm.
Counter-Tops : CN-002 Anthracite 160x320x1.2 cm.

CN-002

Matt Surface



Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Facade
- Frost Resistance
- Color Body

5 Colors


- Anthracite Color-Body
- Grey
- Beige
- Cream
- Bone



DISCOVER MORE

CN-003

Matt Surface



Technical Features



3 Colors



DISCOVER MORE




Table Top : CN-003 Anthracite (Color-Body) 160x320x1.6 cm.
Floor : CN-003 Grey 120x120x0.9 cm.
Wall :CN-003 Beige 120x280x0.9 cm.

CN-003 CONCRETE

CN-004

Matt Surface



4

120x260x0.9 cm
47.2"x78.7"

CN-004
CONCRETE

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Facade
- Frost Resistance
- Color Body

5 Colors

- Light
- Cream
- Light Grey
- Dark Grey
- Anthracite Color-Body



DISCOVER MORE




Wall : CN-004 Light 120x200x0.9 cm.
Floor : CN-004 Light Grey 120x200x0.9 cm.

CN-004 CONCRETE

CN-005

Matt Surface



120x310x0.9 cm
47.2"x122"


3

CN-005 CONCRETE

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Frost Resistance


3 Colors



DISCOVER MORE

CN-006

Matt Surface



3

120x260x0.9 cm
47.2"x78.7"

CN-006 CONCRETE

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Facade
- Frost Resistance
- Color Body

4 Colors

- White
- Grey
- Beige
- Black Color-Body



DISCOVER MORE

CN-007

Matt Surface



120x310x0.9 cm
47.2"x122"

2

CN-007 CONCRETE

Technical Features

- MMatt
- GPGlazed Porcelain
- RRectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Frost Resistance

3 Colors


- Blue
- Grey
- Green
- Blue Decor
- Green Decor
- Orange Decor



DISCOVER MORE

CN-008

Matt Surface / Lappato



Technical Features


 Matt	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Commercial Traffic Area	 Facade	 Frost Resistance	 Color Body	 Anti-Slip
 Lappato	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Commercial Traffic Area	 Facade	 Frost Resistance	 Color Body	

4 Colors



DISCOVER MORE

CN-008
CONCRETE



Wall : CN-008 Light Grey 120x200x0.9 cm.
Floor : CN-008 Light Grey 120x200x0.9 cm.

CN-009
CONCRETE



Wall : CN-009 Beige 120x310x0.9 cm.
Floor : ST-024 White 120x200x0.9 cm.

CN-009

Matt Surface



120x310x0.9 cm
47.2"x122"

4

CN-009 CONCRETE

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Facade
- Frost Resistance

1 Color



Beige



DISCOVER MORE



3D-Fit®
Technology


CN-010
CONCRETE

Wall - CN-001 Black - 120x310x0.9 cm.
Floor - CN-010 Concrete - 120x310x0.9 cm.

V2 Slight
Variation

CN-010

Honed



120x310x0.6 cm
47.2"x122"

CN-010
CONCRETE

Technical Features

- Honed
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Frost Resistance
- Color Body

4 Colors

- Light
- Grey
- Taupe
- Anthracite
Color-Body

CN-011

Matt Surface



Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Facade
- Frost Resistance
- Heavy Traffic

2 Colors




DISCOVER MORE

CN-012

Matt Surface



Technical Features



5 Colors



DISCOVER MORE

CN-013

Matt Surface



3

120x310x0.6 cm
47.2"x122"

CN-013 CONCRETE

Technical Features

- 

Matt
- 

Glazed Porcelain
- 

Rectified
- 

Bending Strength
- 

Floor Tile
- 

Indoor
- 

Frost Resistance

2 Colors



Cream

Grey




DISCOVER MORE



CN-013 CONCRETE

Cabinet Doors & Hood : CN-013 Grey 120x310x0.6 cm.
Counter-Tops : CN-015 Grey 145x320x1.2 cm.
Floors : CN-008 Grey 120x200x0.9 cm.



CN-014

Matt Surface



1

145x320x1.2 cm
57" x126"

CN-014
CONCRETE

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Frost Resistance
- Full Body


1 Color



Grey




DISCOVER MORE



DISCOVER MORE

CN-015

Matt Surface



145x320x1.2 cm
57"x126"

2

Technical Features

- 

Matt
- 

Glazed Porcelain
- 

Rectified
- 

Bending Strength
- 

Floor Tile
- 


Indoor
- 

Commercial Traffic Area
- 

Frost Resistance
- 

Full Body

1 Color



Grey

FABRIC
Series

FB-001

90/93

FB-002

94/96

FB-004

97/99

FB-005

100/103

FB-001

Matt Surface



120x280x0.9 cm
47.2"x110"

FB-001
FABRIC

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Wall Tile
- Indoor
- Frost Resistance

4 Colors

- Dark Blue
- Decor
- Brown
- Beige



DISCOVER MORE



Wall 1 : FB-001 Dark Blue 120x280x0.9 cm.
Wall 2 : FB-D-001 Dark Blue 120x280x0.9 cm.
Wall & Floor : ST-029 Bone 120x310x0.9 cm.

FB-001

FABRIC

FB-002

Matt Surface




2

120x280x0.9 cm
47.2" x110"

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Wall Tile
- Indoor
- Frost Resistance

2 Colors



Cream

Decor




DISCOVER MORE



FB-004

Matt Surface



120x280x0.9 cm
47.2" x 110"

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Wall Tile
- Floor Tile
- Indoor
- Facade
- Frost Resistance

4 Colors

- Blanco
- Blanco Decor
- Arena
- Arena Decor
- Gris
- Gris Decor
- Graphite
- Graphite Decor



DISCOVER MORE

FB-005

Matt Surface




3

120x310x0.6 cm
47.2"x122"

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Wall Tile
- Floor Tile
- Indoor
- Frost Resistance

2 Colors



DISCOVER MORE



DISCOVER MORE



Wall: FB-D-005 120x310x0.6 cm.

FB-005

FABRIC



GR-001	106/108
GR-002	109/111
GR-003	112/115
GR-004	116/118
GR-005	119/121
GR-006	122/125
GR-007	126/127
GR-008	128/129



DISCOVER MORE

GR-001

Matt (Anti-Bacterial)



3

120x310x0.9 cm
47.2"x122"

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Frost Resistance
- Anti-Bacterial

3 Colors

- Blanco
- Cream
- Grigio

GR-001
GRANITE



Counter-Top: GR-001 Blanco 145x320x1.6 cm.
Cabinet Doors : ST-012 Light Grey Concept 120x310x0.6 cm.

GR-002
GRANITE



Table-Tops: GR-002 Black 120x310x0.9 cm.

GR-002

Matt Surface



120x310x0.9 cm
47.2"x122"

2

Technical Features

- 

Matt
- 

Glazed Porcelain
- 

Rectified
- 

Bending Strength
- 

Floor Tile
- 

Indoor
- 

Store & Shop
- 

Commercial Traffic Area
- 

Facade
- 

Color Body

1 Color



Black



DISCOVER MORE

GR-002 GRANITE

GR-003

Matt Surface



120x310x0.9 cm
47.2"x122"

3

GR-003
GRANITE

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Frost Resistance

4 Colors

- White
- Brown
- Grey
- Anthracite



DISCOVER MORE




GR-003

GRANITE

Wall : GR-001 White 120x310x0.9 cm.
Floors : CN-008 Grey 120x200x0.9 cm.

GR-004

Matt Surface



Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Facade
- Frost Resistance

3 Colors



DISCOVER MORE



GR-004

GRANITE

Wall: GR-004 Beige 120x280x0.9 cm.



GR-005

GRANITE

Wall: GR-005 Grey 120x260x0.9 cm.

GR-005

Matt Surface



3

120x260x0.9 cm
47.2"x78.7"

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Facade
- Frost Resistance

5 Colors


- Graphite
- Grey
- White
- Beige
- Taupe



DISCOVER MORE

GR-006

Matt Surface - Honed








120x310x0.9 cm
47.2"x122"

Technical Features

- | | | | | | | | | |
|--|---|--|---|---|---|--|---|--|
| 
Matt | 
Glazed Porcelain | 
Rectified | 
Bending Strength | 
Floor Tile | 
Indoor | 
Commercial Traffic Area | 
Frost Resistance | 
Heavy Traffic |
| 
Honed | 
Glazed Porcelain | 
Rectified | 
Bending Strength | 
Floor Tile | 
Indoor | 
Frost Resistance | | |

8 Colors

- | | | | | | | | |
|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |
| Cream | Multi-Color | Turquoise | Green | Blue | Pink | White | Grey |



DISCOVER MORE

GR-006
GRANITE



Wall : GR-006 Grey 120x310x0.9 cm.
Floor : GR-006 Grey 120x200x0.9 cm.




Floor : GR-007 White 120x200x0.9 cm.

GR-007
GRANITE

GR-007

Lappato



120x280x0.9 cm
47.2" x110"

2

Technical Features

- 

Matt
- 

Glazed
Porcelain
- 

Rectified
- 

Bending
Strength
- 


Floor Tile
- 

Indoor
- 

Facade
- 

Frost
Resistance

1 Color




White



DISCOVER MORE

GR-008

Matt Surface



2

120x280x0.9 cm
47.2" x110"

GR-008

GRANITE

Technical Features

- 

Matt
- 

Glazed Porcelain
- 

Rectified
- 

Bending Strength
- 

Floor Tile
- 


Indoor
- 

Facade
- 

Frost Resistance

2 Colors

- 

Cream
- 

Grey




DISCOVER MORE



<i>MB-001</i>	132/135
<i>MB-002</i>	136/137
<i>MB-003</i>	138/140
<i>MB-005</i>	141/143
<i>MB-006</i>	144/146
<i>MB-007</i>	147/149
<i>MB-009</i>	150/153
<i>MB-010</i>	154/156
<i>MB-011</i>	157/159

MB-001

Glossy Polished



120x280x0.9 cm
47.2"x110"

4

MB-001 MARBLE

Technical Features

- Glossy Polished
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Frost Resistance

4 Colors

- Black
- Blue
- Green
- Pearl



DISCOVER MORE



MB-001

MARBLE

Wall : MB-001 Black 120x280x0.9 cm.




MB-001

MARBLE

Wall : MB-001 Pearl 120x280x0.9 cm.

MB-002

Matt / Glossy Polished



3

120x260x0.9 cm
47.2"x78.7"

Technical Features

- | | | | | | | | |
|--|---|--|---|---|---|---|---|
| 
Glossy Polished | 
Glazed Porcelain | 
Rectified | 
Bending Strength | 
Floor Tile | 
Indoor | 
Frost Resistance | |
| 
Matt | 
Glazed Porcelain | 
Rectified | 
Bending Strength | 
Floor Tile | 
Indoor | 
Facade | 
Frost Resistance |

1 Color




White



DISCOVER MORE

MB-003

Matt / Glossy Polished



120x310x0.6 cm
47.2"x122"


4

MB-003 MARBLE

Technical Features

 Matt	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Frost Resistance
 Glossy Polished	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Frost Resistance

2 Colors



Black Anthracite



DISCOVER MORE

3D-Fit®
Technology

MB-003

MARBLE



Wall : MB-003 Black 120x310x0.9 cm.
Floor : MB-003 Black 120x200x0.9 cm.



MB-005

MARBLE

Wall : MB-005 White 120x200x0.9 cm.
Floor : CN-008 Grey 120x200x0.9 cm.

MB-005

Matt Surface



120x260x0.9 cm
47.2"x78.7"

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Facade
- Frost Resistance

1 Color




White



DISCOVER MORE

MB-006

Glossy Polished



6

120x260x0.9 cm
47.2"x78.7"

Technical Features

- 

Glossy Polished
- 

Glazed Porcelain
- 

Rectified
- 

Bending Strength
- 

Floor Tile
- 

Indoor
- 

Frost Resistance

1 Color



White



DISCOVER MORE



MB-006

MARBLE

Wall : MB-006 White 120x260x0.9 cm.
Floor : Noxwood Light Grey 20x120x0.9 cm.




MB-007

MARBLE

Wall : MB-007 White 120x280x0.9 cm.
Floor & Wash Basin : GR-006 White 120x200x0.9 cm.

MB-007

Sparkle Polished



120x280x0.9 cm
47.2"x110"

4

MB-007 MARBLE

Technical Features

- SP Sparkle Polished
- GP Glazed Porcelain
- R Rectified
- Bending Strength
- Floor Tile
- Indoor
- Frost Resistance


2 Colors



DISCOVER MORE

MB-009

Sparkle Polished



2

120x280x0.9 cm
47.2" x 110"

Technical Features

- 

Sparkle Polished
- 

Glazed Porcelain
- 

Rectified
- 


Bending Strength
- 


Floor Tile
- 


Indoor
- 

Frost Resistance

3 Colors

- 

Dark Blue
- 

Graphite
- 

Grey



DISCOVER MORE



Natural
Thermal
Bath


MB-009

MARBLE

Wall : MB-009 Dark Blue 120x280x0.9 cm.

MB-010

Glossy Polished



3

120x280x0.9 cm
47.2" x 110"

MB-010 MARBLE

Technical Features

- 

Glossy Polished
- 

Glazed Porcelain
- 

Rectified
- 

Bending Strength
- 

Floor Tile
- 

Indoor
- 

Frost Resistance

1 Color



Black



DISCOVER MORE



MB-011

Matt / Glossy Polished



3

120x310x0.9 cm
47.2"x122"

Technical Features

- | | | | | | | | | |
|--|---|--|---|---|---|--|---|---|
| 
Matt | 
Glazed Porcelain | 
Rectified | 
Bending Strength | 
Floor Tile | 
Indoor | 
Commercial Traffic Area | 
Facade | 
Frost Resistance |
| 
Glossy Polished | 
Glazed Porcelain | 
Rectified | 
Bending Strength | 
Floor Tile | 
Indoor | 
Frost Resistance | | |

1 Color



Cream



DISCOVER MORE


METAL
Series

5

<i>ME-001</i>	162/165
<i>ME-002</i>	166/168
<i>ME-003</i>	169/171
<i>ME-004</i>	172/173
<i>ME-005</i>	174/177

ME-001

Lappato



5


120x280x0.9 cm
47.2"x110"

ME-001
METAL

Technical Features

- Lappato
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Facade
- Frost Resistance

1 Color



Dark



DISCOVER MORE



ME-001

METAL

Wall : ME-001 Dark 120x280x0.9 cm.

ME-002

Matt Surface / Lappato



120x280x0.9 cm
47.2"x110"

3

ME-002

METAL

Technical Features

- Matt
- Lappato
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Facade
- Frost Resistance

4 Colors

- Grey
- Beige
- Copper
- Brown



DISCOVER MORE

ME-002

METAL



Wall : ME-002 Grey 120x200x0.9 cm.
Floor : Noxwood Brown 20x120x0.9 cm.

ME-003

METAL



Wall : ME-003 Turquoise 120x310x0.9 cm.
Wall : ME-003 Metal 120x310x0.9 cm.
Floor : CL-005 White 120x120x0.9 cm.

ME-003

Lappato




120x310x0.9 cm
63" x 126"

Technical Features

- Lappato
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Frost Resistance


3 Colors



DISCOVER MORE

ME-004

Matt Surface / Lappato



3

120x260x0.9 cm
47.2"x78.7"

Technical Features

- Matt
- Lappato
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Facade
- Frost Resistance


2 Colors



DISCOVER MORE

ME-005

Matt Surface



3

120x280x0.9 cm
47.2"x110"

Technical Features

- Lappato
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Commercial Traffic Area
- Facade
- Indoor
- Frost Resistance

4 Colors

- Beige
- Blanco
- Cobre
- Acero



DISCOVER MORE



ME-005
METAL


Wall : ME-005 Beige 120x280x0.9 cm.



<i>MO-001</i>	180/183
<i>MO-002</i>	184/185
<i>MO-003</i>	186/187
<i>MO-004</i>	188/189
<i>MO-005</i>	190/191

MO-001

Matt Surface



120x310x0.6 cm
47.2"x122"



Technical Features

- 

Matt
- 

Glazed
Porcelain
- 

Rectified
- 

Bending
Strength
- 

Wall Tile
- 

Indoor
- 

Facade
- 

Frost
Resistance
- 

Color
Body

1 Color



Black



DISCOVER MORE

MO-001 MONOCOLOR



Wall : MO-D-001 Black 120x310x0.6 cm.
Floor : GR-003 Blanco 120x120x0.9 cm.


MO-001 MONOCOLOR



Floor : MO-002 Light Grey 120x200x0.9 cm.

MO-002

Matt Surface



120x200x0.9 cm.
47.2"x78.7"

MO-002 MONOCOLOR

Technical Features



5 Colors






5mm SLIMTECH

Door : MO-003 Arancio 120x310x0.6 cm.

MO-003

Matt Surface



MO-003 MONOCOLOR

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Frost Resistance


4 Colors

- Arancio (Full-Body)
- Mela (Full-Body)
- Tortilla (Full-Body)
- Moka (Full-Body)




MO-004

Matt Surface




MO-004 MONOCOLOR

Technical Features



2 Colors






3D-Fit[®]
Technology

Wall : MO-005 Aqua Frame 120x200x0.9 cm.
Floor : GR-004 Beige 120x200x0.9 cm.

V1 V1 Uniform
Appearance

MO-005


Glossy Surface




120x200x0.9 cm.
47.2"x78.7"

MO-005 MONOCOLOR

Technical Features



5 Colors



Navy Frame Sky Frame Sun Frame Aqua Frame White Frame

ONYX
Series

4

OX-001

194/196

OX-002

197/199

OX-003

200/201

OX-004

202/203

OX-001

Glossy Polished



4

120x260x0.9 cm
47.2"x78.7"

OX-001

ONYX

Technical Features

-  Glossy Polished
-  Glazed Porcelain
-  Rectified
-  Bending Strength
-  Floor Tile
-  Indoor
-  Frost Resistance

3 Colors

-  Light Beige
-  Dark Beige
-  Green



DISCOVER MORE

OX-001

ONYX



Wall : OX-001 Light Beige 120x260x0.9 cm.
Floor : ST-041 Dark Grey 120x120x0.9 cm.

OX-002


ONYX



Wall : OX-002 Light 120x200x0.9 cm.

OX-002

Glossy Polished



3

120x280x0.9 cm
47.2"x110"

Technical Features

- Glossy Polished
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Frost Resistance

3 Colors

- Light
- Grey
- Green



DISCOVER MORE

OX-002

ONYX



5mm SLIMTECH


OX-003

ONYX

Wall: OX-003 Blue 120x310x0.6 cm.
Floor : ST-041 Dark Grey 120x120x0.9 cm.

OX-003

Glossy Polished



3

120x310x0.9 cm
47.2"x122"


OX-003

ONYX

Technical Features

-  Glossy Polished
-  Glazed Porcelain
-  Rectified
-  Bending Strength
-  Floor Tile
-  Indoor
-  Frost Resistance


3 Colors



Blue Cream Green

OX-004

Glossy Polished



3

120x310x0.9 cm
47.2"x122"

Technical Features

- Glossy Polished
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Frost Resistance

3 Colors

- White
- Beige
- Green



DISCOVER MORE



<i>ST-001</i>	206/207	<i>ST-024</i>	268/270	<i>ST-048</i>	333/335
<i>ST-002</i>	208/210	<i>ST-025</i>	271/273	<i>ST-049</i>	336/337
<i>ST-003</i>	211/213	<i>ST-026</i>	274/276	<i>ST-050</i>	338/340
<i>ST-004</i>	214/216	<i>ST-027</i>	277/279	<i>ST-051</i>	341/343
<i>ST-005</i>	217/219	<i>ST-029</i>	280/283	<i>ST-052</i>	344/345
<i>ST-006</i>	220/223	<i>ST-032</i>	284/287	<i>ST-053</i>	346/349
<i>ST-007</i>	224/226	<i>ST-033</i>	288/290	<i>ST-054</i>	350/352
<i>ST-010</i>	227/229	<i>ST-034</i>	291/293	<i>ST-055</i>	353/355
<i>ST-011</i>	230/231	<i>ST-035</i>	294/296	<i>ST-056</i>	356/359
<i>ST-012</i>	232/233	<i>ST-036</i>	297/299	<i>ST-057</i>	360/361
<i>ST-013</i>	234/237	<i>ST-037</i>	300/302	<i>ST-058</i>	362/364
<i>ST-014</i>	238/240	<i>ST-038</i>	303/305	<i>ST-060</i>	365/367
<i>ST-015</i>	241/243	<i>ST-039</i>	306/309	<i>ST-061</i>	368/370
<i>ST-016</i>	244/247	<i>ST-040</i>	310/311	<i>ST-063</i>	371/373
<i>ST-017</i>	246/249	<i>ST-041</i>	312/315	<i>ST-064</i>	374/375
<i>ST-018</i>	250/253	<i>ST-042</i>	316/317	<i>ST-065</i>	376/379
<i>ST-019</i>	254/255	<i>ST-043</i>	318/320	<i>ST-066</i>	378/381
<i>ST-020</i>	256/259	<i>ST-044</i>	321/323	<i>ST-067</i>	382/383
<i>ST-021</i>	260/262	<i>ST-045</i>	324/326	<i>ST-069</i>	384/387
<i>ST-022</i>	263/265	<i>ST-046</i>	327/329		
<i>ST-023</i>	266/267	<i>ST-047</i>	330/332		

ST-001

Matt Surface



4

120x260x0.9 cm
47.2"x78.7"

ST-001

STONE

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Facade
- Frost Resistance
- Color Body

3 Colors

- Light Grey
- Dark Grey
- Anthracite (Color-Body)



DISCOVER MORE

ST-002

Matt Surface



120x280x0.9 cm
47.2"x110"

4

ST-002
STONE

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Facade
- Frost Resistance

3 Colors



Light Cream Grey



DISCOVER MORE

ST-002

STONE



Counter-Tops: ST-002 Light 160x320x1.2 cm.
Floor : ST-002 Light 120x280x0.9 cm.

ST-003

STONE



Wall & Floor : ST-003 Light 120x280x0.9 cm.

ST-003

Matt Surface



3

120x280x0.9 cm
47.2"x110"

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Facade
- Frost Resistance

3 Colors




Light Cream Grey



DISCOVER MORE

ST-004

Matt Surface / Glossy Polished




160x320x0.9 cm
83"x126"

ST-004
STONE

Technical Features

 Matt	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Facade	 Frost Resistance
 Glossy Polished	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Frost Resistance	

1 Color



Grey



DISCOVER MORE

ST-004

STONE



Wall: ST-004 Brown 160x320x0.9 cm.
Counter-Tops: CL-006 White 160x320x1.2 cm.
Floor : WD-002 Brown 120x260x0.9 cm.

ST-005


STONE



Wall : ST-005 Black 160x320x0.9 cm.

ST-005

Matt Surface



3

120x280x0.9 cm
47.2"x110"

Technical Features

- 

Matt
- 

Glazed Porcelain
- 

Rectified
- 

Bending Strength
- 


Floor Tile
- 

Indoor
- 

Facade
- 

Frost Resistance

1 Color




Black



DISCOVER MORE

ST-006

Matt Surface / Glossy Polished



3

120x280x0.9 cm
47.2"x110"


ST-006

STONE

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Facade
- Frost Resistance

1 Color



Black



DISCOVER MORE




ST-006

STONE

Wall: ST-006 Black 120x280x0.9 cm.
Floor : GR-004 Beige 120x200x0.9 cm.

ST-007

Matt Surface



120x280x0.9 cm
47.2"x110"

ST-007
STONE

Technical Features

- 

Matt
- 

Glazed Porcelain
- 

Rectified
- 

Bending Strength
- 

Floor Tile
- 

Indoor
- 

Facade
- 

Frost Resistance

4 Colors

- 

Cream
- 

Graphito
(Color-Body)
- 

Grey
- 

Taupe



DISCOVER MORE

ST-007

STONE



Wall & Wash Basin: ST-007 Cream 160x320x1.6 cm.

ST-010

STONE



Wall : ST-010 White 120x310x0.9 cm.

ST-010

Matt Surface / Lappato



120x310x0.9 cm
47.2"x122"

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Frost Resistance

1 Color



White



DISCOVER MORE

ST-011

Matt Surface



3

120x280x0.9 cm
47.2"x110"

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Facade
- Frost Resistance
- Color Body

4 Colors

- Grey
- Light
- Taupe
- Anthracite (Color-Body)



DISCOVER MORE

ST-012

Matt Surface




120x310x0.6 cm
47.2"x122"


ST-012

STONE

Technical Features




3 Colors



Curved Wall : ST-012 Light Grey 120x310x0.6 cm.

ST-013

Glossy Polished



3

120x280x0.9 cm
47.2"x110"

ST-013
STONE

Technical Features

- 

Glossy Polished
- 

Glazed Porcelain
- 


Rectified
- 

Bending Strength
- 

Floor Tile
- 

Frost Resistance

1 Color



Grey



DISCOVER MORE




ST-013

STONE

Wall : ST-013 Grey 120x280x0.9 cm.
Floor : ST-020 Sand 120x200x0.9cm.

ST-014

Glossy Polished



3

120x280x0.9 cm
47.2"x110"

ST-014
STONE

Technical Features

- 

Glossy Polished
- 

Glazed Porcelain
- 


Rectified
- 

Bending Strength
- 

Floor Tile
- 

Frost Resistance

1 Color



Green



DISCOVER MORE

ST-014

STONE



Wall : ST-014 Green 120x280x0.9 cm.
Floor : ST-018 Ivory 120x200x0.9 cm.

ST-015

STONE



Wall : ST-015 Blue 120x280x0.9 cm.

ST-015

Glossy Polished



3


120x280x0.9 cm
47.2" x 110"

ST-015
STONE

Technical Features

- Glossy Polished
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Frost Resistance

1 Color




Blue



DISCOVER MORE

ST-016

Matt Surface / Glossy Polished



120x280x0.9 cm
47.2" x110"

Technical Features

Matt	Glazed Porcelain	Rectified	Bending Strength	Floor Tile	Indoor	Facade	Frost Resistance
Glossy Polished	Glazed Porcelain	Rectified	Bending Strength	Floor Tile	Indoor	Frost Resistance	

1 Color



Dark Grey



DISCOVER MORE

ST-016

STONE



ST-017

STONE



Fire Place Wall : ST-016 Dark Grey 120x280x0.9 cm.
Floor : ST-017 White 120x120x0.9 cm.

ST-017

Glossy Polished



4

120x260x0.9 cm
47.2"x78.7"

ST-017
STONE

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Facade
- Frost Resistance

1 Color



White



DISCOVER MORE

ST-018

Matt Surface



120x280x0.9 cm
47.2"x110"

4

ST-018
STONE

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Facade
- Frost Resistance

4 Colors

- Ivory
- Beige
- Mocha
- Grey



DISCOVER MORE




Wall : ST-018 lovry 120x280x0.9 cm.
Floor : ST-018 Grey 120x200x0.9 cm.

ST-018

STONE

ST-019

Matt Surface / Glossy Polished



160x320x0.9 cm
83"x126"

ST-19

STONE

Technical Features

- 
Matt
- 
Glazed
Porcelain
- 
Rectified
- 
Bending
Strength
- 
Floor Tile
- 
Indoor
- 
Frost
Resistance

1 Color



Black



DISCOVER MORE

ST-020

STONE



Wall : ST-020 Sand 120x200x0.9 cm.
Backwall : Monocolor Maroon 60x120 cm
Floor : ST-020 Sand 120x200x0.9 cm.

ST-020

STONE



Floor : ST-020 Sand 120x200x0.9 cm.

ST-020

Matt Surface / Glossy Polished / Honed



120x200x0.9 cm.
47.2"x78.7"

Technical Features

 Matt	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Commercial Traffic Area	 Facade	 Frost Resistance
 Glossy Polished	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Frost Resistance		
 Honed	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Facade	 Frost Resistance	

2 Colors



DISCOVER MORE

ST-021

Matt Surface / Glossy Polished / Honed



3

120x260x0.9 cm
47.2"x78.7"

Technical Features

 Matt	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Commercial Traffic Area	 Facade	 Frost Resistance
 Glossy Polished	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Frost Resistance		
 Honed	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Facade	 Frost Resistance	

1 Color



Grey



DISCOVER MORE

ST-021

STONE



Wall : ST-021 Grey 120x260x0.9 cm.
Floor : ST-021 Grey 120x260x0.9 cm.

ST-022

STONE



Wall : ST-022 Black 120x260x0.9 cm.
Floor : ST-022 Black 120x260x0.9 cm.

ST-022

Matt Surface / Glossy Polished / Lappato



3

120x260x0.9 cm
47.2"x78.7"

ST-022

STONE

Technical Features

 Matt	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Commercial Traffic Area	 Facade	 Frost Resistance
 Glossy Polished	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Frost Resistance		

1 Color




Black



DISCOVER MORE

ST-023

Matt Surface / Glossy Polished / Honed




3

120x260x0.9 cm
47.2"x78.7"

Technical Features

 Matt	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Facade	 Frost Resistance
 Glossy Polished	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Frost Resistance	
 Honed	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Facade	 Frost Resistance

1 Color



Grey



DISCOVER MORE

ST-024

Matt Surface/ Lappato



120x200x0.9 cm.
47.2"x78.7"

Technical Features

 Matt	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Facade	 Frost Resistance	
 Lappato	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Commercial Traffic Area	 Facade	 Frost Resistance

3 Colors



DISCOVER MORE

ST-024

STONE

ST-024

STONE



Wall : ST-024 Grey 120x200x0.9 cm.
Floor : ST-024 Grey 120x200x0.9 cm.

ST-025

STONE



Wall : ST-025 Beige 120x280x0.9 cm.

ST-025

Matt Surface / Glossy Polished / Sparkle Polished



120x280x0.9 cm
47.2"x110"

4


ST-025

STONE

Technical Features

 Matt	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Facade	 Frost Resistance
 Glossy Polished	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Frost Resistance	
 Sparkle Polished	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Frost Resistance	

3 Colors



Beige

White


Grey



DISCOVER MORE

ST-026

Matt Surface / Glossy Polished



4

120x280x0.9 cm
47.2"x110"

ST-026

STONE

Technical Features

- | | | | | | | | |
|--|---|--|---|---|---|---|---|
| 
Matt | 
Glazed Porcelain | 
Rectified | 
Bending Strength | 
Floor Tile | 
Indoor | 
Facade | 
Frost Resistance |
| 
Glossy Polished | 
Glazed Porcelain | 
Rectified | 
Bending Strength | 
Floor Tile | 
Indoor | 
Frost Resistance | |

1 Color



White



DISCOVER MORE



ST-026

STONE

Fire Place Wall : ST-026 White 120x280x0.9 cm.



ST-027

STONE

Wall : ST-027 Grey 120x280x0.9 cm.
Floor : GR-006 White 120x200x0.9 cm.

ST-027

Matt Surface



3

120x280x0.9 cm
47.2" x 110"

Technical Features

- 

Matt
- 

Glazed Porcelain
- 

Rectified
- 

Bending Strength
- 

Floor Tile
- 

Indoor
- 

Facade
- 

Frost Resistance

1 Color



Graphite



DISCOVER MORE

ST-027
STONE

ST-029

Matt Surface



120x310x0.6 cm
47.2"x122"

ST-029
STONE

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Frost Resistance
- Anti-Bacterial

4 Colors

- White
- Bone
- Grey
- Beige
- Decor



DISCOVER MORE



3D-Fit®
Technology

ST-029

STONE


Wall : ST-D-029 White 120x310x0.9 cm.

ST-D-029

Matt Surface



2 Surface Finishes




ST-D-029

STONE

ST-032

Matt Surface



160x320x0.9 cm
83"x126"

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Facade
- Frost Resistance
- Heavy Traffic

1 Color



Grey



DISCOVER MORE




Wall : ST-032 Grey 160x320x1.2 cm.
Floor : ST-032 Grey 120x120x0.9 cm.

ST-032
STONE



ST-033

Matt Surface



120x200x0.9 cm.
47.2"x78.7"

3

ST-033

STONE

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Facade
- Frost Resistance

3 Colors

- Grey
- Anthracite
- Ash



DISCOVER MORE



ST-033

STONE

Floor : ST-033 Grey 120x200x0.9 cm.




ST-034

STONE

Wall : ST-034 Green 120x310x0.6 cm.
Floor : ST-034 Green 120x310x0.6 cm.

ST-034

Glossy Polished



160x320x0.9 cm
83"x126"

ST-034
STONE

Technical Features

-  Glossy Polished
-  Glazed Porcelain
-  Rectified
-  Bending Strength
-  Floor Tile
-  Indoor
-  Frost Resistance

2 Colors


-  Green
-  Blue



DISCOVER MORE

ST-035

Matt Surface / Glossy Polished



3

120x310x0.9 cm
47.2"x122"

ST-035
STONE

Technical Features

 Matt	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Frost Resistance
 Glossy Polished	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Frost Resistance

1 Color



Green



DISCOVER MORE

ST-035

STONE



Floor : ST-035 Green 120x310x0.9 cm.

ST-036


STONE



Counter-Tops: ST-036 White 160x320x1.2

ST-036

Matt Surface / Glossy Polished



3

160x320x0.9 cm
83"x126"

ST-036
STONE

Technical Features

 Matt	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Anti-Bacterial
 Glossy Polished	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Frost Resistance

2 Colors




White Beige



DISCOVER MORE

ST-037

Matt Surface / Glossy Polished




160x320x0.9 cm
83"x126"

ST-037
STONE

Technical Features

 Matt	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Frost Resistance
 Glossy Polished	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Frost Resistance

1 Color



White



DISCOVER MORE

ST-037
STONE



Wall : ST-037 White 160x320x0.9 cm.


ST-038
STONE



Wall : ST-038 Blue 120x280x0.9 cm.
Floor : ST-024 White 120x200x0.9 cm.

ST-038

Glossy Polished



120x280x0.9 cm
47.2" x 110"





2

ST-038
STONE

Technical Features

-  Glossy Polished
-  Glazed Porcelain
-  Rectified
-  Bending Strength
-  Floor Tile
-  Indoor
-  Frost Resistance

4 Colors

-  Blue
-  Grey
-  Turquoise
-  Beige



DISCOVER MORE

ST-039

Matt Surface / Glossy Polished



3

160x320x0.9 cm
83"x126"

Technical Features

- | | | | | | | | |
|--|---|--|---|---|---|--|---|
| 
Matt | 
Glazed Porcelain | 
Rectified | 
Bending Strength | 
Floor Tile | 
Indoor | 
Commercial Traffic Area | 
Frost Resistance |
| 
Glossy Polished | 
Glazed Porcelain | 
Rectified | 
Bending Strength | 
Floor Tile | 
Indoor | 
Frost Resistance | |

1 Color



Blue



DISCOVER MORE




Wall : ST-039 White 160x320x1.2 cm.
Floor : WD-008 Brown 20x200x0.9 cm.

ST-039

STONE

ST-040

Matt Surface / Glossy Polished



120x280x0.9 cm
47.2"x110"

3

ST-040
STONE

Technical Features

- M

Matt
- GP

Glazed Porcelain
- R

Rectified
- ↓↑

Bending Strength
- ⌚

Floor Tile
- 🏠

Indoor
- 🏢

Facade
- ❄️

Frost Resistance
- HG

Glossy Polished
- GP

Glazed Porcelain
- R

Rectified
- ↓↑

Bending Strength
- ⌚

Floor Tile
- 🏠

Indoor
- ❄️

Frost Resistance

6 Colors



Cream Light Grey Dark Grey Brown Blue Green



DISCOVER MORE

ST-041

Matt Surface



120x260x0.9 cm
47.2"x78.7"

ST-041

STONE

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Facade
- Frost Resistance
- Color-Body

5 Colors

- White
- Light Grey
- Dark Grey
- Black (Color-Body)
- Beige



DISCOVER MORE



ST-041

STONE

Floor : ST-041 Light Grey 120x120x1.6 cm.
Bench : ST-041 White 120x260x0.9 cm.



ST-041

STONE

Wall : ST-041 White 120x260x0.9 cm.
Floor : ST-041 Dark Grey 120x120x0.9 cm.

ST-042

Matt Surface



4

120x260x0.9 cm
47.2"x78.7"

ST-042

STONE

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Facade
- Frost Resistance

4 Colors

- Graphite
- Grey
- Cream
- White



DISCOVER MORE

ST-043

Matt Surface



3

120x280x0.9 cm
47.2" x 110"

Technical Features

- 
Matt
- 
Glazed Porcelain
- 
Rectified
- 
Bending Strength
- 
Floor Tile
- 
Indoor
- 
Facade
- 
Frost Resistance

3 Colors

- 
Bone
- 
Sand
- 
Brown



DISCOVER MORE

ST-043

STONE



Wall : ST-043 Brown 120x280x0.9 cm.

ST-044

STONE



Wall : ST-044 Light 120x280x0.9 cm.

ST-044

Matt Surface / Glossy Polished



3

120x280x0.9 cm
47.2"x110"

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Facade
- Frost Resistance

4 Colors

- Light
- Light Grey
- Dark Grey
- Beige



DISCOVER MORE

ST-045

Matt Surface / Glossy Polished



160x320x0.9 cm
83"x126"

Technical Features

- M

Matt
- GP

Glazed Porcelain
- R

Rectified
- ↓↑

Bending Strength
- Foot

Floor Tile
- House

Indoor
- Building

Facade
- ❄️

Frost Resistance
- HG

Glossy Polished
- GP

Glazed Porcelain
- R

Rectified
- ↓↑

Bending Strength
- Foot

Floor Tile
- House

Indoor
- ❄️

Frost Resistance

1 Color



Light



DISCOVER MORE



Wall : ST-045 Light 160x320x0.9 cm.

ST-045

STONE




Wall : ST-046 Green 120x310x0.9 cm.

ST-046

STONE

ST-046

Glossy Polished



120x310x0.6 cm
47.2"x122"

4

ST-046
STONE

Technical Features

-  Glossy Polished
-  Glazed Porcelain
-  Rectified
-  Bending Strength
-  Floor Tile
-  Indoor
-  Frost Resistance

1 Color



Green



DISCOVER MORE

ST-047

Matt Surface



Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Facade
- Frost Resistance

1 Color



DISCOVER MORE

ST-047

STONE



Wall : ST-047 Black 120x310x0.9 cm.
Wash Basin & Floor : ST-061 Cream 120x310x0.9 cm.

ST-048


STONE



Wall : ST-D-048 Decor Anthracite 120x280x0.9 cm.
Floor : CN-002 Cream 120x200x0.9 cm.

ST-048

Matt Surface



120x280x0.9 cm
47.2" x110"

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Facade
- Frost Resistance

2 Colors

- Anthracite
- Decor Anthracite
- Grey
- Decor Grey



DISCOVER MORE

ST-049

Matt Surface



3

120x310x0.9 cm
47.2"x122"

ST-49

STONE

Technical Features

- 

Matt
- 

Glazed
Porcelain
- 

Rectified
- 

Bending
Strength
- 

Floor Tile
- 

Indoor
- 

Frost
Resistance

1 Color



Graphite



DISCOVER MORE

ST-050

Matt Surface



3

160x320x0.9 cm
83"x126"

ST-50
STONE

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Frost Resistance

3 Colors

- Dark Grey
- Light Grey
- Bone



DISCOVER MORE

ST-050

STONE



Wall : ST-050 Dark Grey 160x320x0.9 cm.



Wall : ST-051 Oxide 120x310x0.6 cm.

ST-051

STONE

ST-051

Lappato



120x310x0.9 cm
47.2"x122"

2

ST-051
STONE

Technical Features

-
-
-
-
-
-
-
- Lappato
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Frost Resistance

1 Color




Oxide



DISCOVER MORE

ST-052

Matt Surface




120x310x0.9 cm
47.2"x122"

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Frost Resistance

2 Colors



DISCOVER MORE

ST-053

Matt Surface



3

160x320x1.2 cm
83"x126"

ST-053

STONE

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor

3 Colors

- Light
- Sand
- Dark Grey



DISCOVER MORE

ST-053
STONE



Wall : ST-053 Light 160x320x1.2 cm.

ST-053
STONE



Floor : ST-053 Light 120x200x0.9 cm.

ST-054

Matt Surface



120x310x0.6 cm
47.2"x122"

4

ST-54
STONE

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Frost Resistance
- Heavy Traffic

4 Colors

- Ivory
- Beige
- Sand
- Grey



DISCOVER MORE



Curved Wall : ST-054 Ivory 120x310x0.6 cm.

ST-054

STONE



Wall : ST-055 Light 120x310x0.9 cm.

ST-055

STONE

ST-055

Matt Surface / Honed



120x310x0.6 cm
47.2"x122"

ST-055
STONE

Technical Features

 Matt	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Facade	 Frost Resistance	
 Lappato	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Commercial Traffic Area	 Facade	 Frost Resistance

4 Colors


			
Classic Matt (3D-Fit)	Ice Honed (3D-Fit)	Grey Honed (3D-Fit)	Light Honed (3D-Fit)



DISCOVER MORE

ST-056

Matt Surface




120x280x0.9 cm
47.2" x110"

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Facade
- Frost Resistance

2 Colors



Beige Grey



DISCOVER MORE




ST-056

STONE

Fire Place Wall : ST-056 Beige 120x280x0.9 cm.

ST-057

Matt Surface



3

120x260x0.9 cm
47.2"x78.7"

ST-57

STONE

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Facade
- Frost Resistance

3 Colors


- Grey
- White
- WhiteDecor Matt (3D-Fit)
- Cream



DISCOVER MORE

ST-058

Matt Surface



120x310x0.6 cm
47.2"x122"

2

Technical Features

- 

Matt
- 

Glazed Porcelain
- 

Rectified
- 


Bending Strength
- 

Floor Tile
- 

Indoor
- 

Frost Resistance

2 Colors



Brown Grey



DISCOVER MORE

ST-058

STONE



Wall: ST-058 Brown 120x310x0.9 cm.

ST-060


STONE



Wall : ST-060 Grey 120x310x0.9 cm.
Floor : GR-004 Anthracite 120x200x0.9 cm.
Box : ST-034 Green

ST-060

Honed



120x310x0.9 cm
47.2"x122"

3

Technical Features

- Honored
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Frost Resistance

2 Colors

- Grey
- Light



DISCOVER MORE

ST-061

Glossy Polished / Sparkle Polished



3

120x310x0.9 cm
47.2"x122"

Technical Features

- Sparkle
- Glossy Polished
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Frost Resistance

1 Color



Cream



DISCOVER MORE

ST-061

STONE

ST-061
STONE



Wall & Floor : ST-061 Cream 120x310x0.9 cm.


ST-063
STONE



Wall & Floor : ST-063 Black 120x310x0.9 cm.

ST-063

Matt Surface / Glossy Polished



120x310x0.9 cm
47.2"x122"


3

ST-063
STONE

Technical Features

 Matt	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Frost Resistance
 Glossy Polished	 Glazed Porcelain	 Rectified	 Bending Strength	 Floor Tile	 Indoor	 Frost Resistance

1 Color



Platinum



DISCOVER MORE

ST-064

Matt Surface




120x200x0.9 cm.
47.2"x78.7"

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Facade
- Frost Resistance
- Heavy Traffic

2 Colors




DISCOVER MORE

ST-064

STONE

ST-065

Matt Surface



120x310x0.9 cm
47.2"x122"

2

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Commercial Traffic Area
- Frost Resistance

1 Color



Cream



DISCOVER MORE

ST-065 STONE

ST-065

STONE



Wall: ST-066 Grey 120x310x0.9 cm.
Floor & Counter-Tops : ST-065 Cream 120x310x0.9 cm.


ST-066

STONE



ST-066

Sparkle Polished



3

120x310x0.9 cm
47.2"x122"

Technical Features

- 

Sparkle Polished
- 

Glazed Porcelain
- 

Rectified
- 

Bending Strength
- 

Floor Tile
- 

Indoor
- 

Frost Resistance

1 Color




Grey



DISCOVER MORE

ST-067

Matt Surface



120x280x0.9 cm
47.2" x110"

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Facade
- Frost Resistance

2 Colors


- Grey
- Cream



DISCOVER MORE

ST-069


Matt Surface



Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Facade
- Frost Resistance

2 Colors



DISCOVER MORE

ST-069
STONE



Wall: ST-069 Platinum & Bone 120x280x0.9 cm.
Floor : ST-057 Grey 120x200x0.9 cm.

ST-069

STONE

WOOD
Series



WD-001	390/392
WD-002	393/395
WD-003	396/397
WD-004	398/400
WD-005	401/403
WD-006	404/405
WD-007	406/408
WD-008	409/411

WD-001

Matt Surface



120x280x0.9 cm
47.2"x110"

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Facade
- Frost Resistance

1 Color



Brown Decor



DISCOVER MORE

W/D-001

WOOD



Wall: WD-D-001 Brown 120x280x0.9 cm.
Wall 2 :WD-001 Browm 120x280x0.9 cm.

W/D-002

WOOD



Wall : WD-002 Browm 120x260x0.9 cm.
Floor : WD-005 Cognac 120x260x0.9 cm.

WD-002

Matt Surface



120x260x0.9 cm
47.2"x78.7"

Technical Features

- 
Matt
- 
Glazed Porcelain
- 
Rectified
- 
Bending Strength
- 
Floor Tile
- 
Indoor
- 
Facade
- 
Frost Resistance

1 Color



Brown



DISCOVER MORE

WD-003

Matt Surface



3

120x260x0.9 cm
47.2"x78.7"

Technical Features

- 

Matt
- 

Glazed Porcelain
- 

Rectified
- 

Bending Strength
- 

Floor Tile
- 

Indoor
- 

Facade
- 

Frost Resistance

1 Color




Brown



DISCOVER MORE

WD-004

Matt Surface



120x280x0.9 cm
47.2" x 110"

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Facade
- Frost Resistance

3 Colors



White Grey Black



DISCOVER MORE

WD-004

WOOD



Wall: WD-004 White 120x280x0.9 cm.

WD-005

WOOD



Wall : WD-006 Canella 120x280x0.9 cm.
Floor : WD-005 Sand 120x260x0.9 cm.

WD-005

Matt Surface



1

120x260x0.9 cm
47.2"x78.7"

WD-005

WOOD

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Facade
- Frost Resistance

4 Colors


- Walnut
- Sand
- Cognac
- Cocoa



DISCOVER MORE

WD-006

Matt Surface



Technical Features

- 

Matt
- 

Glazed Porcelain
- 

Rectified
- 

Bending Strength
- 


Floor Tile
- 

Indoor
- 

Facade
- 

Frost Resistance

1 Color



Canella



DISCOVER MORE

WD-007

Matt Surface



120x310x0.9 cm
47.2"x122"

WD-007 / WD-D-007

WOOD

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Facade
- Frost Resistance

1 Color



Brown

Decor



DISCOVER MORE

WD-007 / WD-D-007 WOOD



Wall: WD-007 Brown 120x310x0.9 cm.
Floor : WD-D-007 Brown 120x310x0.9 cm.




Floor : WD-008 Brown 20x200x0.9 cm.

WD-008 WOOD

WD-008

Matt Surface



20x200x0.9 cm.
7.7"x78.7"

12

Technical Features

- Matt
- Glazed Porcelain
- Rectified
- Bending Strength
- Floor Tile
- Indoor
- Facade
- Frost Resistance

1 Color



Brown



DISCOVER MORE


PRODUCTS
SUMMARY



PRODUCTS SUMMARY

[illegible]

CALACATTA
SERIES

CL-001		SURFACES	Matt Glossy Polished Lappato Sparkle Honed								
CL-D-001		SURFACES	Matt Glossy Polished Lappato Sparkle Honed								
CL-002		SURFACES	Matt Glossy Polished Lappato Sparkle Honed								
CL-005		SURFACES	Matt Glossy Polished Lappato Sparkle Honed								
CL-005		SURFACES	Matt Glossy Polished Lappato Sparkle Honed								
CL-006		SURFACES	Matt Glossy Polished Lappato Sparkle Honed								
CL-007		SURFACES	Matt Glossy Polished Lappato Sparkle Honed								
CL-008		SURFACES	Matt Glossy Polished Lappato Sparkle Honed								
CL-009		SURFACES	Matt Glossy Polished Lappato Sparkle Honed								
CL-010		SURFACES	Matt Glossy Polished Lappato Sparkle Honed								
CL-011		SURFACES	Matt Glossy Polished Lappato Sparkle Honed								

PRODUCTS SUMMARY

[illegible]

CONCRETE
SERIES

CN-001		SURFACES	Matt Glossy Polished Lappato Sparkle Honed							
CN-002		SURFACES	Matt Glossy Polished Lappato Sparkle Honed							
CN-003		SURFACES	Matt Glossy Polished Lappato Sparkle Honed							
CN-004		SURFACES	Matt Glossy Polished Lappato Sparkle Honed							
CN-005		SURFACES	Matt Glossy Polished Lappato Sparkle Honed							
CN-006		SURFACES	Matt Glossy Polished Lappato Sparkle Honed							
CN-007		SURFACES	Matt Glossy Polished Lappato Sparkle Honed							
CN-D-007		SURFACES	Matt Glossy Polished Lappato Sparkle Honed							
CN-008		SURFACES	Matt Glossy Polished Lappato Sparkle Honed							
CN-009		SURFACES	Matt Glossy Polished Lappato Sparkle Honed							
CN-010		SURFACES	Matt Glossy Polished Lappato Sparkle Honed							

PRODUCTS

SUMMARY

SIZES

1600x3200
63"x126"

1450x3200
57"x126"

1200x3100
47.2"x122"

1200x2800
47.2"x110"

1200x2600
47.2"x78.7"

1200x2000
47.2"x78.7"

1600x1600
63"x63"

1200x1200
47.2"x47.2"

THICKNESSES

691216

691216

691216

691216

691216

691216

691216

691216

CONCRETE





SERIES

CN-011

SURFACES

Matt
Glossy Polished
Lappato
Sparkle
Honed

<

PRODUCTS SUMMARY																		FABRIC SERIES																	
		SIZES		1600x3200 63"x126"				1450x3200 57"x126"				1200x3100 47.2"x122"				1200x2800 47.2"x110"				1200x2600 47.2"x78.7"				1200x2000 47.2"x78.7"				1600x1600 63"x63"				1200x1200 47.2"x47.2"			
		THICKNESSES		6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16
FB-001		SURFACES	Matt																																
			Glossy Polished																																
			Lappato																																
			Sparkle																																
			Honed																																
FB-D-001		SURFACES	Matt																																
			Glossy Polished																																
			Lappato																																
			Sparkle																																
			Honed																																
FB-002		SURFACES	Matt																																
			Glossy Polished																																
			Lappato																																
			Sparkle																																
			Honed																																
FB-D-002		SURFACES	Matt																																
			Glossy Polished																																
			Lappato																																
			Sparkle																																
			Honed																																
FB-004		SURFACES	Matt																																
			Glossy Polished																																
			Lappato																																
			Sparkle																																
			Honed																																
FB-D-004		SURFACES	Matt																																
			Glossy Polished																																
			Lappato																																
			Sparkle																																
			Honed																																
FB-005		SURFACES	Matt																																
			Glossy Polished																																
			Lappato																																
			Sparkle																																
			Honed														</																		

Age Group	Number of People
13-17	95
18-24	90
25-34	85
35-44	80
45-54	75
55-64	70
65-74	65
75-84	60
85+	55

100x3200	1450x3200	1200x3100	1200x2800	1200x2600	1200x2000	1600x1600	1200x1600
57" x 126"	57" x 126"	47.2" x 122"	47.2" x 110"	47.2" x 78.7"	47.2" x 78.7"	63" x 63"	47.2" x 47.2"

GRANITE

SERIES

GRANITE SERIES

Age Group	Number of People
13-17	95
18-24	90
25-34	85
35-44	80
45-54	75
55-64	70
65-74	65
75-84	60
85+	55

00x3200	1450x3200	1200x3100	1200x2800	1200x2600	1200x2000	1600x1600	1200x1600
1'x126"	57'x126"	47'2"x122"	47'2"x110"	47'2"x78.7"	47'2"x78.7"	63'x63"	47'2"x47.2"





MARBLE
SERIES

MARBLE SERIES

PRODUCTS
SUMMARY

SIZES		1600x3200 63"x126"				1450x3200 57"x126"				1200x3100 47.2"x122"				1200x2800 47.2"x110"				1200x2600 47.2"x78.7"				1200x2000 47.2"x78.7"				1600x1600 63"x63"				1200x1200 47.2"x47.2"			
THICKNESSES		6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16

METAL
SERIES

ME-001		SURFACES	Matt Glossy Polished Lappato Sparkle Honed								
ME-002		SURFACES	Matt Glossy Polished Lappato Sparkle Honed								
ME-D-002		SURFACES	Matt Glossy Polished Lappato Sparkle Honed								
ME-003		SURFACES	Matt Glossy Polished Lappato Sparkle Honed								
ME-D-003		SURFACES	Matt Glossy Polished Lappato Sparkle Honed								
ME-004		SURFACES	Matt Glossy Polished Lappato Sparkle Honed								
ME-005		SURFACES	Matt Glossy Polished Lappato Sparkle Honed								

PRODUCTS
SUMMARY

SIZES		1600x3200 63"x126"				1450x3200 57"x126"				1200x3100 47.2"x122"				1200x2800 47.2"x110"				1200x2600 47.2"x78.7"				1200x2000 47.2"x78.7"				1600x1600 63"x63"				1200x1200 47.2"x47.2"			
THICKNESSES		6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16




MONOCOLOR
SERIES

MO-001		SURFACES	Matt Glossy Polished Lappato Sparkle Honed							
MO-002		SURFACES	Matt Glossy Polished Lappato Sparkle Honed							
MO-003		SURFACES	Matt Glossy Polished Lappato Sparkle Honed							
MO-004		SURFACES	Matt Glossy Polished Lappato Sparkle Honed							
MO-005		SURFACES	Matt Glossy Lappato Sparkle Honed							

PRODUCTS
SUMMARY

SIZES																																	
		1600x3200 63"x126"				1450x3200 57"x126"				1200x3100 47.2"x122"				1200x2800 47.2"x110"				1200x2600 47.2"x78.7"				1200x2000 47.2"x78.7"				1600x1600 63"x63"				1200x1200 47.2"x47.2"			
THICKNESSES		6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16








ONYX
SERIES






OX-001		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																														
OX-002		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																														
OX-003		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																														
OX-004		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																														






PRODUCTS
SUMMARY

SIZES																																	
		1600x3200 63"x126"				1450x3200 57"x126"				1200x3100 47.2"x122"				1200x2800 47.2"x110"				1200x2600 47.2"x78.7"				1200x2000 47.2"x78.7"				1600x1600 63"x63"				1200x1200 47.2"x47.2"			
THICKNESSES		6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16

WOOD
SERIES

WD-001		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																														
WD-D-001		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																														
WD-002		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																														
WD-003		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																														
WD-004		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																														
WD-005		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																														
WD-006		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																														
WD-007		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																														
WD-D-007		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																														
WD-008		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																														

PRODUCTS SUMMARY																																			
			SIZES				1600x3200 63"x126"				1450x3200 57"x126"				1200x3100 47.2"x122"				1200x2800 47.2"x110"				1200x2600 47.2"x78.7"				1200x2000 47.2"x78.7"				1600x1600 63"x63"				1200x1200 47.2"x47.2"
THICKNESSES			6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	
STONE SERIES																																			
STONE SERIES	ST-001		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																															
	ST-002		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																															
	ST-003		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																															
	ST-004		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																															
	ST-005		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																															
	ST-006		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																															
	ST-007		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																															
	ST-010		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																															
	ST-011		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																															
	ST-012		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																															
	ST-013		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																															

PRODUCTS SUMMARY																																			
			SIZES				1600x3200 63"x126"				1450x3200 57"x126"				1200x3100 47.2"x122"				1200x2800 47.2"x110"				1200x2600 47.2"x78.7"				1200x2000 47.2"x78.7"				1600x1600 63"x63"				1200x1200 47.2"x47.2"
THICKNESSES			6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	
STONE SERIES																																			
ST-014		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																
ST-015		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																
ST-016		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																
ST-017		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																
ST-018		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																
ST-019		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																
ST-020		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																
ST-021		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																
ST-022		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																
ST-023		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																
ST-024		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																

Age Group	Number of People
13-17	95
18-24	90
25-34	85
35-44	80
45-54	75
55-64	70
65-74	65
75-84	60
85+	55

[illegible]

STONE
SERIES









			• • •	• • •			• •
			• •				
			•				
•		•				•	•
		•					
• •			•				•
				•	•		
•		•				•	
• •		• •	• •			• •	
• •		• •	• •	• •	• •	• •	• •
• •						• •	









Age Group	Number of People
13-17	95
18-24	90
25-34	85
35-44	80
45-54	75
55-64	70
65-74	65
75-84	60
85+	55

[illegible]

STONE
SERIES

			.				
. .		. .					
			. .				
				.			
			.	.			
			.				
			. .	. .			. .
. .		. .	. .				
		.					
			.				
			.				

PRODUCTS SUMMARY																																			
SIZES			1600x3200 63"x126"				1450x3200 57"x126"				1200x3100 47.2"x122"				1200x2800 47.2"x110"				1200x2600 47.2"x78.7"				1200x2000 47.2"x78.7"				1600x1600 63"x63"				1200x1200 47.2"x47.2"				
THICKNESSES			6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	
STONE SERIES																																			
STONE SERIES	ST-D-048		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																															
	ST-049		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																															
	ST-050		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																															
	ST-051		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																															
	ST-052		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																															
	ST-053		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																															
	ST-054		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																															
	ST-055		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																															
ST-D-055		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																
ST-056		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																
ST-057		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																

PRODUCTS SUMMARY																																					
SIZES			1600x3200 63" x126"				1450x3200 57" x126"				1200x3100 47.2" x122"				1200x2800 47.2" x110"				1200x2600 47.2" x78.7"				1200x2000 47.2" x78.7"				1600x1600 63" x63"				1200x1200 47.2" x47.2"						
THICKNESSES			6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16	6	9	12	16			
STONE SERIES																																					
ST-D-057		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																		
ST-058		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																		
ST-060		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																		
ST-061		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																		
ST-063		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																		
ST-064		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																		
ST-065		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																		
ST-066		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																		
ST-067		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																		
ST-069		SURFACES	Matt Glossy Polished Lappato Sparkle Honed																																		

Technical specification

CHARACTERISTICS	ANNES G GROUP BLA	TEST METHOD	TEST RESULT
	Requirments for normal size N>15cm		
DIMENTION AND SURFACE QUALITY			
Length and width (cm)	± 0.6% max ± 2mm	EN ISO 10545-2	Affirmative
Thickness	± 5% max ± 0.5mm	EN ISO 10545-2	Affirmative
Rectangularity	± 0.5% max ± 2mm	EN ISO 10545-2	Affirmative
Straightness of sides	± 0.5% max ± 1.5mm	EN ISO 10545-2	Affirmative
SURFACE PROPERTIES			
a) Center curvature, related to diagonal calculated from the work size	± 0.5% max ± 2mm	EN ISO 10545-2	Affirmative
b) Edge curvature, related to the corresponding work size	± 0.5% max ± 2mm	EN ISO 10545-2	Affirmative
c) Warpage, related to diagonal calculated from the work size	± 0.5% max ± 2mm	EN ISO 10545-2	Affirmative
PHYSICAL PROPERTIES			
Water absorption (%)	E < 0.5% INDIVIDUAL MAXIMUM 0.6%	EN ISO 10545-3	Affirmative
BREAKING STRENGTH (N) FOR THICKNESS > 7.5MM	NOT LESS than 1300N	EN ISO 10545-4	Affirmative
Modulus of rupture (N/mm2)	Average: 35 N/mm2 Individual Minimum 32N/mm2	EN ISO 10545-5	Affirmative
Impact resistance	Declared value	EN ISO 10545-6	Affirmative
Abrasion resistance of glazed tiles	Declared value	EN ISO 10545-7	Affirmative
Coefficient of linear thermal expansion	Declared value	EN ISO 10545-8	Affirmative
Resistance to thermal shock	pass according to EN ISO 10545-1	EN ISO 10545-9	Affirmative
FROST resistance	pass according to EN ISO 10545-1	EN ISO 10545-12	Affirmative
CHEMICALS PROPERTIES			
Resistance to the low concentration of acids & alkanes	Declared value	EN ISO 10545-13	Affirmative
Resistance to the high concentrarion of acid & alkanes	Declared value	EN ISO 10545-13	Affirmative
Resistance to household chemicals & swimming pool salts	Minimum class B	EN ISO 10545-13	Affirmative
Resistance to staining (unglazed tiles)	Declared value	EN ISO 10545-14	Affirmative

Laying & Fixing


The growth in popularity of large format tiles, with their increased weight and smoother backs, presents new fixing challenges to the professional tiler.

Correct preparation of the subfloor or laying surface is crucial. The laying surface should be rigid, non-flexing and capable of supporting the expected load with minimal or no deflection. A level subfloor is extremely important in order to keep tiles from cracking. Sanding high spots and the use of a levelling compound on low spots is essential. It is also important that TechnoSLAB are clean and dry, if necessary wash them with clean water and dry them thoroughly before fixing.

Whatever your specific requirements, whether they be for standard or large format TechnoSLAB within internal or external applications, selecting the appropriate cement-based, fibre-reinforced or ready-mixed adhesive is vital to ensuring the success of your project.

Normal Size

Once your subfloor is clean and dry, spread the adhesive on the surface to be covered with a 10x10mm square toothed trowel, covering an area 5cm to 10cm more than the size of the TechnoSLAB. Always apply the adhesive in stripes running parallel with the short edge to remove air pockets and bubbles. By using this method, full coverage of the TechnoSLAB with adhesive is ensured.



Large format TechnoSLAB always require back-buttering. Back-buttering describes the process of applying a layer of adhesive to the back of the tiles using a trowel.

Using a specialist wheeled transport cart, fix the large format slab in a vertical position on the handling frame with the use of suction cups. Use a 10x10mm square toothed trowel for applying your adhesive to the wall or floor and when back-buttering use a 3x3mm square toothed trowel for the back of the tile.





Using the handling frame with suction cups, bring the slab into a vertical position and slowly lower it to horizontal. The TechnoSLAB should be firmly pressed into the adhesive along a straight edge, collapsing all adhesive ridges. Use a levelling system to avoid lippage and frequently checks that your TechnoSLAB are even using a suitable box level. Levelling systems are available With 2mm 3mm and 5mm tile spacers.

Periodically check the tiles backs to make sure there is full contact between the adhesive and tile. If not apply additional adhesive to the tile or use a troll with larger notches in your adhesive. As you are working wipe off excess mortar with a wet sponge.

Levelling

Tile levelling systems are now commonly used. With large-format TechnoSLAB, they are absolutely essential. Given the size of the TechnoSLAB and their slimline thickness, unless a levelling system is used, it will result in lippage.

After the first TechnoSLAB has been laid and levelled, before proceeding to lay the second one, insert levelling clips below the first (Fig. 2). Then lay the next TechnoSLAB and tap it to ensure a firm bond. Next, adjust the level(Fig. 3) of both TechnoSLABs by pushing the wedges into place 5 with the levelling pliers (Fig. 1).





The contributing factors to what causes TechnoSLAB lippage are how much warpage the TechnoSLAB has, the width of the grout, how flat the substrate is, and the expertise of the tile installer. We recommend that lippage should not be greater than 2mm at the most for this type of installation.


In order to ensure a uniform surface and produce a surface with acceptable lippage, make use a levelling system to avoid lippage and frequently check that your TechnoSLAB are even using a suitable box level. Levelling systems are available with 2mm, 3mm and 5mm tile spacers.

Cutting


Mark the portion to be removed at the ends of the TechnoSLAB with a pencil. Position the cutting guide with cutting carriage so that the references on the guide coincide with the lines marked on the panels. Lock the cutting guide with the cutting carriage in place using the suction cups. To guarantee correct scoring, the pressure and movement of the cutting carriage must be constant along the whole length of the cut. Score one end of the panel by 15cm pushing the cutting carriage towards the edge of the panel. Complete the scoring up to the opposite end of the panel.



Prepare the holes on all inner corners, minimum 3mm bit diameter.



When cutting a "U" shaped piece, mark and drill relief holes where the cut lines intersect, always making the shortest cut first.



When cutting an "L" countertop, drill relief holes where the cut lines intersect, always making the shortest cut first

Container packing details

Normal Size	Pieces	Pieces M2	Pieces Kg	Pallet Pz	Pallet M2	Pallet Kg	Pallet Dimensions	Trolley Pallet	Trolley M2	Trolley Kg
160x320 - 0.9 cm	1	5.12	107	22	112.64	2504	337x177x54 cm	9	1013.76	22536
120x310 - 0.9 cm	1	3.72	80	30	111.6	2550	327x137x62 cm	9	1004.4	22950
120x310 - 0.6 cm	1	3.72	53	42	156.24	2376	327x137x62 cm	9	1406.16	21384
120x280 - 0.9 cm	1	3.36	70	36	120.96	2670	297x137x68 cm	8	967.68	21360
120x260 - 0.9 cm	1	3.12	67	36	112.32	2562	277x137x68 cm	8	898.56	20496
120x200 - 0.9 cm	1	2.4	50	36	86.4	1900	217x137x68 cm	12	1036.8	22800
160x160 - 0.9 cm	1	2.56	55	34	87.04	2021	177x177x68 cm	12	1044.5	24256
120x120 - 0.9 cm	1	1.44	30	45	64.8	1400	137x137x75 cm	16	1036.8	22400



Tabriz Tile Industrial Group
Kashi Tabriz St., 24 km of
Tehran Road Tabriz , IRAN.

Phone : +98 41 41 77
Fax : +98 41 36 30 67 88

7th Floor Fereshteh 24
Building Fayazi St.,
Elahie., Tehran, IRAN

Phone : +98 21 22 01 28 30
Fax : +98 21 22 01 28 40

www.tabriztilegroup.com
@tabriztilegroup